



DOCKING STATION FOR DELL RUGGED 10" TABLET

Engineered for rugged reliability in harsh environments and highly demanding conditions, to operate seamlessly with the Dell Rugged 10" Tablets. This Docking Station is manufactured from CNC machined aluminum and offering an ultra low-profile design for optimal workflow along with a range of connector ports for maximum suitability in all applications.

FEATURES

- CNC aluminum construction
- Genuine Dell PCB for maximum reliability
- Ergonomic design for safety and usability
- Multiple mounting patterns including VESA 75
- Low profile footprint for increased usable cabin space
- Key lockable for added theft deterrence
- Forward or rear facing ports to suit user needs
- Forward facing ports for users who desire a low profile, ergonomic solution
- Rear facing ports for users who need easy access to ports in the field
- Floating connector design ensures reliable operation
- 3-year limited warranty



TECHNICAL SPECIFICATIONS

WEIGHT	HEIGHT	WIDTH	DEPTH
3.95 – 6.45 lbs	8.67"	10.88"	2.88"

TESTING / CERTIFICATIONS

- MIL-STD-810-H
- Vibration & Shock per MIL-STD-810-H
- Cycle – Latch/Unlatch 30,000 cycles
- Shock-Crash Test - Simulates 30mph crash test
- Environmental - Humidity / Thermal Shock / Low Temp Storage / High Temp Storage
- EMC Testing - EN 50498 / CISPR 32 – Class B / ICES-0003
- FCC, CE, UKCA, RoHS





DOCKING STATION FOR DELL RUGGED 10" TABLETS

ITEM NUMBERS

- AS7.D922.100 - Docking Station for Dell Rugged 10" Tablet Lite
- AS7.D922.110 - Docking Station for Dell Rugged 10" Tablet Full
- AS7.D922.104 - Cradle for Dell Rugged 10" Tablet
- AS7.D922.100-PSF1 - Docking Station for Dell Rugged 10" Tablet Lite with Isolated 20-60V Power Adapter

* Versions with power adapter also available denoted by '-ps' suffix on part number

ITEM NUMBER	PORT REPLICATION						
	USB3 Type-C 5Gbps Speed 1.5A Output	USB3 Type-A 5Gbps Speed 1.5A Output	RJ45 Ethernet 10/100mbps	RS232 Serial	19.5VDC Power Input	HDMI	Power Adapter Included
AS7.D922.100	1	2	1	1	1	No	No
AS7.D922.110	1	2	1	1	1	Yes	No
AS7.D922.104	0	0	0	0	0	No	No
AS7.D922.100-PS	1	2	1	1	1	No	Yes 11-16V
AS7.D922.100-PSF1	1	2	1	1	1	No	Yes 20-60V
AS7.D922.110-PS	1	2	1	1	1	Yes	Yes 11-16V
AS7.D922.104-PS	0	0	0	0	0	No	Yes 11-16V

