



TABLET ENCLOSURE USER GUIDE


Description	Part Number
ENCLOSURE FOR APPLE IPAD 10.2	AS7.W001.100
ENCLOSURE FOR APPLE IPAD 10.9	AS7.W001.101
ENCLOSURE FOR SAMSUNG TAB A9+	AS7.W001.250
ENCLOSURE FOR PANASONIC TOUGHBOOK G2/G3 TABLET	AS7.W001.601
ENCLOSURE FOR LENOVO K11	AS7.W001.800
ENCLOSURE FOR GETAC F120 TABLET	AS7.W001.900

Product Mounting Disclaimer

Precision Mounting Technologies Ltd (PMT) are not liable under any theory of contract or tort law for any loss, damage, personal injury, special, incidental or consequential damages for personal injury or other damage of any nature arising directly or indirectly as a result of the improper installation or use of its products in vehicle or any other application. In order to safely install and use PMT products full consideration of vehicle occupants, vehicle systems (i.e., the location of fuel lines, brake lines, electrical, drive train or other systems), air-bags and other safety equipment is required. PMT specifically disclaims any responsibility for the improper use or installation of its products not consistent with original vehicle manufactures' specifications and recommendations, PMT product instruction sheets, or workmanship standards as endorsed through PMT policies and EULA.




DESCRIPTION OF PARTS



INSTALLATION INSTRUCTIONS

Step 1

Using an Allen/Hex Key, remove the 4x cover screws and detach the front cover.




Step 2

Attach the rear panel to a mounting surface using 4x screws (not included) suitable for the installation.

Note: Enclosure can be mounted in landscape or portrait orientation.

Mounting
screws (4x)



INSTALLATION INSTRUCTIONS

Step 3

Place the device in the enclosure and ensure it is securely held by the foam pads and does not contact the mounting screw heads installed in Step 2.



Step 4

Connect the power/USB cable to the device securely and route the cable in the direction of choice. PMT recommends using a plastic wire tie where possible to prevent disconnection.

Note: The cable can be routed straight out, upward, downward or through the rear of the enclosure depending on installation requirements.



INSTALLATION INSTRUCTIONS

Step 5

Place the front cover over the device. Align cutouts with the front buttons, camera and sensors then secure the front cover using the screws removed in Step 1. Ensure cables are not pinched during installation.



Installation complete.

ADDITIONAL INFORMATION

Lenovo Tab K11 Power Up

1. To wake the tablet, you must first turn on the tablet either before putting the device in the enclosure or by using a key or slim tool to press the power button.
2. Once the device is on, it is suggested to enable the “Double Touch Wake-Up” feature on the tablet. To do this you must do the following
System→Gestures→Motions & Gestures→Double Tap To Wake.
3. You can now wake up the tablet by double tapping the screen.