



## ENCLOSURE FOR PANASONIC TOUGHBOOK 33 TABLET USER GUIDE


Description	Part Number
ENCLOSURE FOR PANASONIC TOUGHBOOK 33 TABLET	AS7.W001.600

### Product Mounting Disclaimer

Precision Mounting Technologies Ltd (PMT) are not liable under any theory of contract or tort law for any loss, damage, personal injury, special, incidental or consequential damages for personal injury or other damage of any nature arising directly or indirectly as a result of the improper installation or use of its products in vehicle or any other application. In order to safely install and use PMT products full consideration of vehicle occupants, vehicle systems (i.e., the location of fuel lines, brake lines, electrical, drive train or other systems), air-bags and other safety equipment is required. PMT specifically disclaims any responsibility for the improper use or installation of its products not consistent with original vehicle manufactures' specifications and recommendations, PMT product instruction sheets, or workmanship standards as endorsed through PMT policies and EULA.



# DESCRIPTION OF PARTS



# INSTALLATION INSTRUCTIONS

## Step 1

Using a 1/8" Allen/hex key wrench, remove the 4x #10-24 cover screws so the Front Panel can be removed.



## Step 2

Place tablet on the mount, route the cables power, LAN, USB etc. using the large hole on Rear Panel and connect the cables to the tablet.






# INSTALLATION INSTRUCTIONS

## Step 3

Attach rear panel to mounting surface using 4x screws (not provided in kit) suitable for install location, ensure foam pads are holding securely (the tablet should not be loose) and also ensure the tablet is not contacting the mounting screw heads.



4x Mounting screws

## Step 4

Attach power/USB/LAN etc. cables to the tablet securely and route the cable as shown below. PMT recommends using a plastic zip tie where possible to prevent disconnection by using wire clamps provided on Rear Panel.




Wire clamp

# INSTALLATION INSTRUCTIONS

## Step 5

Place the Front Panel over the unit so that the cut-outs align with sensors and camera (side buttons will be covered for tamper resistance) while being careful to not pinch any cables. Carefully re-attach the 4x screws to secure the Front Panel to the Rear Panel.



Installation is now complete.