



Tablet Enclosure Wall Mount


User/Install Guide

This user guide is for the following models:

Description	PMT Part #
Apple iPad 10.2 Enclosure	AS7.W001.100
Samsung Galaxy Tab A7 Enclosure	AS7.W001.200

Note: All pictures used in this guide are of the Apple iPad 10.2 Enclosure version, however installation procedures are applicable to other models as well


Description of Parts and Layout



Installation Procedure


Step 1:

Using a 5/64" Allen/hex key wrench, remove the 4x cover screws so the front cover plate can be removed.



Step 2:

Attach rear panel to mounting surface using 4x screws (not provided in kit) suitable for install location. Note the enclosure can be mounted in any direction.



Mounting screws
(4x)

Installation Procedure continued

Step 3:

Place tablet in the mount and ensure foam pads are holding securely (the tablet should not be loose), and ensure the tablet is not contacting the mounting screw heads used in step 2.



Step 4:

Attach power/USB cable to the tablet securely and route the cable in the direction of choice. PMT recommends using a plastic wire tie where possible to prevent disconnection. Note the cable can be routed out of the enclosure either going straight out, up or down, and also can be routed back for a clean install depending on install location and infrastructure used.



Installation Procedure continued

Step 5:

Place the Front Cover plate over the unit so that the cut-outs align with front buttons, sensors, and cameras (side buttons will be covered for tamper resistance) while being careful to not pinch any cables. Carefully re-attach the 4x screws to secure the front cover to the rear panel.



Installation is now complete.